

MANY PEOPLE WHO ARE AT HIGH RISK FOR DEVELOPING SEVERE COVID-19 DON'T KNOW THEIR RISK.

COVID-19 MAY STILL BE A THREAT TO YOUR HEALTH

Despite the success of vaccines in reducing severe illness and declining numbers of infections in many areas, COVID-19 remains a threat and **some people are more vulnerable to severe illness from the virus**.

There are treatment options available that can help reduce the severity of symptoms and the risk of hospitalization and death among people who are at high risk for severe COVID-19. Unfortunately, many of those who need COVID-19 treatments don't know treatments are an option and aren't getting them.

AM I AT RISK FOR DEVELOPING SEVERE COVID-19?

Age is the biggest risk factor for severe COVID-19 and those 50 or over are considered to be at high risk of severe COVID-19. You are also at greater risk of severe COVID-19 if you have certain health conditions or are impacted by social factors, including:

- Asthma
- Cancer
- DiabetesDisabilities

Heart conditions

- Lung diseaseKidney disease
- Obesity
- Mental health conditions
- Substance use disorders

former)

Smoking

(current and

Many vulnerable communities may also be at greater risk of severe COVID-19 and are less likely to receive treatment. According to the CDC, people from racial and ethnic minority groups could be nearly **twice as likely** to face serious complications from COVID-19.

It is important to know if you have one or more risk factors for severe COVID-19 and to be prepared to start treatment within days of getting COVID-19. Being up-to-date on your vaccine reduces the risk of developing severe COVID-19.

SAFE AND EFFECTIVE TREATMENT OPTIONS ARE AVAILABLE TO FIGHT COVID-19

- If you have COVID-19 symptoms, contact your healthcare provider today to learn about treatment options, including antivirals – pills and IV treatments that can help prevent more serious impacts of COVID-19, such as hospitalization or death.¹
- Keep a list of all medications that you are currently taking to share with your healthcare provider to help determine the best treatment option for you.
- Antivirals are authorized and/or approved by the FDA for use by those most at risk of progression to severe COVID-19.
- Antiviral treatments for COVID-19 must start within five to seven days after onset of symptoms to be effective.²

Cost and coverage options vary depending on the drug, and there are patient assistance programs, co-pay programs, and other plans to help ensure COVID-19 treatments will continue to be available at no or low cost for most individuals.

Learn more about insurance coverage of antivirals here:



¹National Institutes of Health. "Antivirals, Including Antibody Products." Reviewed May 11, 2013. https://www.covid19treatmentguidelines.nih.gov/therapies/antivirals-including-antibody-products/ ²Centers for Disease Control and Prevention. "People with Certain Medical Conditions." Reviewed May 11, 2023. https://www.cdc.gov/coronavirus/2019-ncov/need-extra-precautions/people-with-medical-conditions.html



Scan to learn more about risk factors for severe COVID-19 and what to do if you have symptoms, or visit **cveep.org/treatments.**

CVEEP Champions for Vaccine Education, Equity + Progress