CVEEP

Infectious Disease Immunization Timeline

ADULTS (AGES 18–49)

Immunization is the best protection against many infectious illnesses. The Centers for Disease Control and Prevention (CDC) and other leading medical societies recommend the following immunizations for adults ages 18–49. Learn more about recommended immunizations for adults here.

Tetanus, Diphtheria, and Pertussis (Tdap/Td)	Adults who have never received the Tdap vaccine should receive a single dose of it. After receipt of the Tdap vaccine, adults should continue to receive the Td or Tdap vaccines for routine booster vaccination every 10 years.
Pneumococcal Disease	Adults 19 – 49 may be recommended to receive pneumococcal vaccines depending on vaccination history and risk condition (e.g., chronic heart, liver, kidney and lung disease, diabetes, and cigarette smoking).
Respiratory Syncytial Virus (RSV)	RSV vaccination is not recommended for adults younger than age 50.
Influenza (Flu)	Everyone ages 6 months and older should get a flu vaccine every year, starting in the fall.
COVID-19	2026-2027 COVID-19 vaccines are recommended for all adults. Vaccination is especially important for people at increased risk for severe COVID-19. Different COVID-19 vaccines are available for different age groups, and the number of doses recommended may vary based on age, health, and vaccination history.



https://www.cdc.gov/vaccines/hcp/imz-schedules/adult-age.html
https://www.aafp.org/clinical-insights/immunizations-and-vaccines/immunizations-schedules-resources/adult-immunization-schedules

cveep.org

UPDATED: 11/2026